ELSEVIER

Gene 188 (1997) 297–299

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

Author Index Vol. 188 (1997)

Ablooglu, A.J., see Sturr, M.G. (188) 91
Albers, J.J., see Tu, A.-Y. (188) 115
Anda, P., see Gebbia, J.A. (188) 221
Appierto, V., Bardella, L., Vijayasarathy, C., Avadhani, N., Sgaramella, V. and Biunno, I.
Functional characterization of a human DNase-like protein encoded by a gene positioned in Xq28 (188) 119
Aranda, A., see Cosgaya, J.M. (188) 291
Arnau, J. and Sørensen, K.I.
The isolation of novel heat shock genes in *Lactococcus lactis* using RNA subtractive hybridization (188) 229
Artzt, K., see Zorn, A.M. (188) 199
Audigier, Y., see Paquereau, L. (188) 137
Avadhani, N., see Appierto, V. (188) 119

Bánfalvi, Z., see Hutvágner, G. (188) 247
Bardella, L., see Appierto, V. (188) 119
Barta, E., see Hutvágner, G. (188) 247
Beatty, D.W., see Vosloo, W. (188) 123
Benach, J.L., see Gebbia, J.A. (188) 221
Benjamin, C.W., see Bock, J.H. (188) 9
Bienkowski, M.J., see Bock, J.H. (188) 9
Birkeland, N.-K., see Lillehaug, D. (188) 129
Biunno, I., see Appierto, V. (188) 119
Bock, J.H., Shuck, M.E., Benjamin, C.W., Chee, M., Bienkowski, M.J. and Slightom, J.L.
Nucleotide sequence analysis of the human *KCNJ1* potassium channel locus (188) 9
Bodkin, N.L., see Walston, J. (188) 207
Borrebaeck, C.A.K., see Furebring, C. (188) 191
Bowen, T.L., Union, J., Tumbula, D.L. and Whitman, W.B.
Cloning and phylogenetic analysis of the genes encoding acetohydroxyacid synthase from the archaeon *Methanococcus aeolicus* (188) 77
Briles, D.E., see Swiatlo, E. (188) 279
Brooks-Walter, A., see Swiatlo, E. (188) 279
Backenson, P.B., see Gebbia, J.A. (188) 221
Buck, G.A., see Nunes, L.R. (188) 157
Buisán, M., see Rodríguez-Peña, J.M. (188) 53

Carvalho, M.R.C., see Nunes, L.R. (188) 157
Casamassimi, A., see Palmieri, G. (188) 169
Castillo, A.I., see Cosgaya, J.M. (188) 291
Chambon, P., see Ichinose, H. (188) 95
Chee, M., see Bock, J.H. (188) 9
Chen, B., see Matzinger, S.A. (188) 261
Chen, H., see Tu, A.-Y. (188) 115
Chen, Q., see Zorn, A.M. (188) 199
Coleman, J.L., see Gebbia, J.A. (188) 221
Cosgaya, J.M., Perez-Juste, G., Castillo, A.I. and Aranda, A.
Growth factor ligands of tyrosine kinase receptors activate the Rous sarcoma virus promoter by a Ras- and Raf-dependent mechanism (188) 291
Crist, K.A., see Matzinger, S.A. (188) 261
Cutting, S.M., see Gomez, M. (188) 29

D'Urso, M., see Palmieri, G. (188) 169
Delage-Mourroux, R., Pichaud, F., Frendo, J.L., Pidoux, E., Guliana, J.M., Moukhtar, M.S. and Jullienne, A.
Cloning and sequencing of a new 15-hydroxyprostaglandin dehydrogenase related mRNA (188) 143
Devic, E., see Paquereau, L. (188) 137
Dietel, M., see Lage, H. (188) 151
Drobyshev, A., Mologina, N., Shik, V., Pobedimskaya, D., Yershov, G. and Mirzabekov, A.
Sequence analysis by hybridization with oligonucleotide microchip: identification of β-thalassemia mutations (188) 45

Ebersole, T.A., see Zorn, A.M. (188) 199
Emms, M., see Vosloo, W. (188) 123
Ensor, C.M., see Zhang, H. (188) 41

Featherstone, T., see Palmieri, G. (188) 169
Frendo, J.L., see Delage-Mourroux, R. (188) 143
Fröhlich, K.-U., see Hüttner, S. (188) 239
Frost, L.S., see Saucier, L. (188) 271
Furebring, C., Ohlin, M., Pettersson, S. and Borrebaeck, C.A.K.
Evaluation of novel control elements by construction of eukaryotic expression vectors (188) 191

Garnier, J.-M., see Ichinose, H. (188) 95
Gebbia, J.A., Backenson, P.B., Coleman, J.L., Anda, P. and Benach, J.L.
Glycolytic enzyme operon of *Borrelia burgdorferi*: characterization and evolutionary implications (188) 221
Gomez, M. and Cutting, S.M.
Identification of a new σ^B-controlled gene, *csbX*, in *Bacillus subtilis* (188) 29
Green, H., see Teumer, J. (188) 1
Grigliatti, T.A., see Pfeifer, T.A. (188) 183
Grow, M., see Zorn, A.M. (188) 199
Guliana, J.M., see Delage-Mourroux, R. (188) 143

Hansen, B.C., see Walston, J. (188) 207
Harriman, N., see Vosloo, W. (188) 123
Hegedus, D.D., see Pfeifer, T.A. (188) 183
Herrmann, C., Zimmermann, H. and Volknandt, W.
Analysis of a cDNA encoding the major vault protein from the electric ray *Discopyge ommata* (188) 85
Hu, C., see Li-Weber, M. (188) 253
Hughes, J.E., see Vosloo, W. (188) 123
Hüttner, S., Mecke, D. and Fröhlich, K.-U.
Gene cloning and sequencing, and enzyme purification of the malate synthase of *Streptomyces arenae* (188) 239
Hutvágner, G., Barta, E. and Bánfalvi, Z.
Isolation and sequence analysis of a cDNA and a related gene for cytochrome P450 proteins from *Solanum chacoense* (188) 247

Ibáñez, M., see Rodríguez-Peña, J.M. (188) 53
Ichinose, H., Garnier, J.-M., Chambon, P. and Losson, R.
Ligand-dependent interaction between the estrogen receptor and the human homologues of SWI2/SNF2 (188) 95

Ihara, N., see Kohno, K. (188) 175
Imamoto, F., see Kohno, K. (188) 175
Ishizuka, T., see Shimizu, C. (188) 17
Ito, M., see Koyano, S. (188) 101

Jensen, S.E., see Saucier, L. (188) 271
Johnson, K.A., see Tu, A.-Y. (188) 115
Jullienne, A., see Delage-Mourroux, R. (188) 143

Kakinuma, M., see Shimizu, C. (188) 17
Kalogeraki, V.S. and Winans, S.C.
Suicide plasmids containing promoterless reporter genes can simultaneously disrupt and create fusions to target genes of diverse bacteria (188) 69
Kano, Y., see Kohno, K. (188) 175
Kelloff, G.J., see Matzinger, S.A. (188) 261
Kijima, H., see Shimizu, C. (188) 17
Kishine, H., see Kohno, K. (188) 175
Kohno, K., see Palmieri, G. (188) 169
Kohno, K., Oshiro, T., Kishine, H., Wada, M., Takeda, H., Ihara, N., Imamoto, F., Kano, Y. and Schlessinger, D.
Construction and characterization of a *rad*51*rad*52 double mutant as a host for YAC libraries (188) 175
Koike, T., see Shimizu, C. (188) 17
Koyano, S., Ito, M., Takamatsu, N., Takiguchi, S. and Shiba, T.
The *Xenopus Sox3* gene expressed in oocytes of early stages (188) 101
Krammer, P.H., see Li-Weber, M. (188) 253
Krieg, P.A., see Zorn, A.M. (188) 199
Krulwich, T.A., see Sturr, M.G. (188) 91
Kubo, M., see Shimizu, C. (188) 17
Kwik, J.F., see Ng, T.C.N. (188) 109

Lage, H. and Dietel, M.
Cloning and characterization of human cDNAs encoding a protein with high homology to rat intestinal development protein OCI-5 (188) 151
Lania, A., see Palmieri, G. (188) 169
Lartey, R.T., Voss, T.C. and Melcher, U.
Corrigendum to: 'Completion of a cDNA sequence from a tobamovirus pathogenic to crucifers' [Gene 166 (1995) 331–332] (188) 295
Li-Weber, M., Salgame, P., Hu, C. and Krammer, P.H.
Characterization of constitutive and inducible transcription factors binding to the P2 NF-AT site in the human interleukin-4 promoter (188) 253
Lillehaug, D., Nes, I.F. and Birkeland, N.-K.
A highly efficient and stable system for site-specific integration of genes and plasmids into the phage ϕLC3 attachment site (*attB*) of the *Lactococcus lactis* chromosome (188) 129
Losson, R., see Ichinose, H. (188) 95
Lowe, A., see Walston, J. (188) 207
Lubet, R.A., see Matzinger, S.A. (188) 261
Lunnen, K.D., see Ruan, H. (188) 35

Maier, R.J., see Ng, T.C.N. (188) 109
Masumura, T., see Sha, S. (188) 23
Matsumura, T., see Shimizu, C. (188) 17
Matsuo, M., see Zhang, H. (188) 41
Matzinger, S.A., Chen, B., Wang, Y., Crist, K.A., Stoner, G.D., Kelloff, G.J., Lubet, R.A. and You, M.
Tissue-specific expression of the K-*ras* allele from the A/J parent in (A/J × TSG-*p53*) F_1 mice (188) 261
May, D., Todd, C.M. and Rand-Weaver, M.
cDNA cloning of eel (*Anguilla anguilla*) somatolactin (188) 63
McDaniel, L.S., see Swiatlo, E. (188) 279
Mecke, D., see Hüttner, S. (188) 239
Melcher, U., see Lartey, R.T. (188) 295
Miano, M.G., see Palmieri, G. (188) 169
Minakuchi, K., see Sha, S. (188) 23
Mineo, I., see Wang, X. (188) 285
Mirzabekov, A., see Drobyshev, A. (188) 45
Mologina, N., see Drobyshev, A. (188) 45
Morisaki, H., see Wang, X. (188) 285
Morisaki, T., see Wang, X. (188) 285
Moukhtar, M.S., see Delage-Mourroux, R. (188) 143
Mukai, T., see Wang, X. (188) 285

Nes, I.F., see Lillehaug, D. (188) 129
Ng, T.C.N., Kwik, J.F. and Maier, R.J.
Cloning and expression of the gene for a protein disulfide oxidoreductase from *Azotobacter vinelandii*: complementation of an *Escherichia coli dsbA* mutant strain (188) 109
Nunes, L.R., Carvalho, M.R.C., Shakarian, A.M. and Buck, G.A.
The transcription promoter of the spliced leader gene from *Trypanosoma cruzi* (188) 157

Ogasawara, N., see Wang, X. (188) 285
Ohlin, M., see Furebring, C. (188) 191
Oshiro, T., see Kohno, K. (188) 175

Paigen, B., see Tu, A.-Y. (188) 115
Palmieri, G., Miano, M.G., Casamassimi, A., Lania, A., Kohno, K., Schlessinger, D., D'Urso, M. and Featherstone, T.
Construction of a pilot human YAC library in a recombination-defective yeast strain (188) 169
Paquereau, L., Devic, E. and Audigier, Y.
Cloning and characterization of a cDNA encoding *Xenopus laevis* αo1 isoform of the Go protein (188) 137
Paradkar, A.S., see Saucier, L. (188) 271
Patterson, K.D., see Zorn, A.M. (188) 199
Pelletier, J.J., see Ruan, H. (188) 35
Perez-Juste, G., see Cosgaya, J.M. (188) 291
Pettersson, S., see Furebring, C. (188) 191
Pfeifer, T.A., Hegedus, D.D., Grigliatti, T.A. and Theilmann, D.A.
Baculovirus immediate-early promoter-mediated expression of the Zeocin® resistance gene for use as a dominant selectable marker in Dipteran and Lepidopteran insect cell lines (188) 183
Pichaud, F., see Delage-Mourroux, R. (188) 143
Pidoux, E., see Delage-Mourroux, R. (188) 143
Pobedimskaya, D., see Drobyshev, A. (188) 45

Rand-Weaver, M., see May, D. (188) 63
Riley, L.G., see Wiley, L.J. (188) 235
Rodríguez-Peña, J.M., Buisán, M., Ibáñez, M. and Rotger, R.
Genetic map of the virulence plasmid of *Salmonella enteritidis* and nucleotide sequence of its replicons (188) 53
Rotger, R., see Rodríguez-Peña, J.M. (188) 53
Ruan, H., Lunnen, K.D., Pelletier, J.J. and Xu, S.-y.
Overexpression of *Bso*BI restriction endonuclease in *E. coli*, purification of the recombinant *Bso*BI, and identification of catalytic residues of *Bso*BI by random mutagenesis (188) 35

Saeki, T., see Shimizu, C. (188) 17
Salgame, P., see Li-Weber, M. (188) 253
Sangster, N.C., see Wiley, L.J. (188) 235
Saucier, L., Paradkar, A.S., Frost, L.S., Jensen, S.E. and Stiles, M.E.
Transcriptional analysis and regulation of carnobacteriocin production in *Carnobacterium piscicola* LV17 (188) 271
Schlessinger, D., see Palmieri, G. (188) 169
Schlessinger, D., see Kohno, K. (188) 175
Seifert, H.S.
Insertionally inactivated and inducible *recA* alleles for use in *Neisseria* (188) 215

Sermsuvitayawong, K., see Wang, X. (188) 285
Sgaramella, V., see Appierto, V. (188) 119
Sha, S., Yabushita, T., Minakuchi, K., Masumura, T. and Tanaka, K.
Structure of the rice glutaredoxin (thioltransferase) gene (188) 23
Shakarian, A.M., see Nunes, L.R. (188) 157
Shiba, T., see Koyano, S. (188) 101
Shik, V., see Drobyshev, A. (188) 45
Shimizu, C., Kubo, M., Saeki, T., Matsumura, T., Ishizuka, T., Kijima, H., Kakinuma, M. and Koike, T.
Genomic organization of the mouse adrenocorticotropin receptor (188) 17
Shuck, M.E., see Bock, J.H. (188) 9
Shuldiner, A.R., see Walston, J. (188) 207
Silver, K., see Walston, J. (188) 207
Slightom, J.L., see Bock, J.H. (188) 9
Sørensen, K.I., see Arnau, J. (188) 229
Steyn, L.M., see Vosloo, W. (188) 123
Stiles, M.E., see Saucier, L. (188) 271
Stoner, G.D., see Matzinger, S.A. (188) 261
Sturr, M.G., Ablooglu, A.J. and Krulwich, T.A.
A *Bacillus subtilis* locus encoding several gene products affecting transport of cations (188) 91
Swiatlo, E., Brooks-Walter, A., Briles, D.E. and McDaniel, L.S.
Oligonucleotides identify conserved and variable regions of *psp*A and *psp*A-like sequences of *Streptococcus pneumoniae* (188) 279

Tai, H.-H., see Zhang, H. (188) 41
Takamatsu, N., see Koyano, S. (188) 101
Takeda, H., see Kohno, K. (188) 175
Takiguchi, S., see Koyano, S. (188) 101
Tanaka, K., see Sha, S. (188) 23
Teumer, J., Tseng, H. and Green, H.
The human basonuclin gene (188) 1
Theilmann, D.A., see Pfeifer, T.A. (188) 183
Tippoo, P., see Vosloo, W. (188) 123
Todd, C.M., see May, D. (188) 63
Toro, N., see Zekri, S. (188) 149
Toyama, K., see Wang, X. (188) 285
Tseng, H., see Teumer, J. (188) 1
Tu, A.-Y., Chen, H., Johnson, K.A., Paigen, B. and Albers, J.J.
Characterization of the mouse gene encoding phospholipid transfer protein (188) 115
Tumbula, D.L., see Bowen, T.L. (188) 77

Union, J., see Bowen, T.L. (188) 77

Vijayasarathy, C., see Appierto, V. (188) 119
Volknandt, W., see Herrmann, C. (188) 85
Vosloo, W., Tippoo, P., Hughes, J.E., Harriman, N., Emms, M., Beatty, D.W., Zappe, H. and Steyn, L.M.
Characterisation of a lipoprotein in *Mycobacterium bovis* (BCG) with sequence similarity to the secreted protein MPB70 (188) 123
Voss, T.C., see Lartey, R.T. (188) 295

Wada, M., see Kohno, K. (188) 175
Walston, J., Lowe, A., Silver, K., Yang, Y., Bodkin, N.L., Hansen, B.C. and Shuldiner, A.R.
The β_3-adrenergic receptor in the obesity and diabetes prone rhesus monkey is very similar to human and contains arginine at codon 64 (188) 207
Wang, X., Morisaki, H., Sermsuvitayawong, K., Mineo, I., Toyama, K., Ogasawara, N., Mukai, T. and Morisaki, T.
Cloning and expression of cDNA encoding heart-type isoform of AMP deaminase (188) 285
Wang, Y., see Matzinger, S.A. (188) 261
Weiss, A.S., see Wiley, L.J. (188) 235
Whitman, W.B., see Bowen, T.L. (188) 77
Wiley, L.J., Riley, L.G., Sangster, N.C. and Weiss, A.S.
mle-1, a mariner-like transposable element in the nematode *Trichostrongylus colubriformis* (188) 235
Winans, S.C., see Kalogeraki, V.S. (188) 69

Xu, S.-y., see Ruan, H. (188) 35

Yabushita, T., see Sha, S. (188) 23
Yang, Y., see Walston, J. (188) 207
Yershov, G., see Drobyshev, A. (188) 45
You, M., see Matzinger, S.A. (188) 261

Zappe, H., see Vosloo, W. (188) 123
Zekri, S. and Toro, N.
Erratum to: 'Identification and nucleotide sequence of *Rhizobium meliloti* insertion sequence IS*Rm6*, a small transposable element that belongs to the IS*3* family' [Gene 175 (1996) 43–48] (188) 149
Zhang, H., Matsuo, M., Zhou, H., Ensor, C.M. and Tai, H.-H.
Cloning and expression of the cDNA for rat NAD^+-dependent 15-hydroxyprostaglandin dehydrogenase (188) 41
Zhou, H., see Zhang, H. (188) 41
Zimmermann, H., see Herrmann, C. (188) 85
Zorn, A.M., Grow, M., Patterson, K.D., Ebersole, T.A., Chen, Q., Artzt, K. and Krieg, P.A.
Remarkable sequence conservation of transcripts encoding amphibian and mammalian homologues of *quaking*, a KH domain RNA-binding protein (188) 199